

©	SELECT LANGUAGE -	DONATE	f 💆 💿
SEARCH			Q

ABOUT GROUPS YOUTH SERVICES COVID-19 RESOURCES UPDATES EVENTS GET INVOLVED

Home / COVID-19 / COVID updates / COVID-19 and HIV updates

COVID-19 AND HIV UPDATES

JANUARY 13, 2021



The SARS-CoV-2 virus (NIAID)

Below are this week's East Bay COVID-19 and HIV updates. This page is usually updated on Wednesday evenings with data and resources gathered from many collaborators in Alameda County, Contra Costa County, Solano County, CA state.

MASKS GUIDANCE

RESOURCES & LINKS

ARCHIVES

PDF SUMMARY

Click on these links for masks, guidance on prevention, testing and wellness, resources and links, archived weekly updates and the weekly PDF summary. East Bay HIV service organizations are providing services by phone, video with some in-person visits available.

Jump to:

- Key updates
- Vaccine updates
- Shelter-in-place and ICU status
- Case, hospitalization and transmission trends
- New HIV and COVID-19 studies
- Harm reduction resources
- Trainings, funding, job opportunities and other resources

EAST BAY COVID-19 UPDATES

COVID-19 case rates are increasing after the holidays and daily death rates are at record highs in the Bay Area. **Hospitalizations have stabilized but remain at high levels.** Estimated transmission rates in the Bay Area are hovering around 1 and Bay Area ICU capacity is 4.7% as of January 13. Hospitals remain overwhelmed in Southern California and the Central Valley, and have been filling up in the Bay Area.

Dr. Alex Azar, Health and Human Service secretary announced on Tuesday, January 12 that the federal government is now recommending that people age 65 and over should now be offered the **COVID-19 vaccine**, moving the age group up in the priority list. States and counties are now scrambling to figure out how to get vaccines out to this huge population while still vaccinating health care workers and others in Phase 1a.

Governor Newsom submitted his 2021-22 State Budget \$227.2 billion proposal on January 8, including \$372 million to speed up administration of COVID-19 vaccines, \$2 billion for school reopenings, and \$14 billion for economic recovery, including \$600 in direct cash supports to Californians.

This continues to be the most important time to wear masks, stay home or outdoors, avoid gatherings and get

vaccinated as soon as we can! To help us all stay healthy and well through the winter, let's find creative ways to connect while avoiding in-person gatherings during this surge, hopefully the last big one of the pandemic. The better we do now, the sooner we can get back together in 2021.

People needing medical care are still encouraged to seek care, as safety protocols are now well established, and Bay Area hospitals and clinics want to make sure people with conditions other than COVID-19 are still given access to good care.

VACCINE ROLL-OUT UPDATES



MARTINEZ, CA.—DECEMBER 15: Liamend Vocalisma Marine Herel K. morieus a Covid-10 vaccine from Infection Provention and Control Program Manager Holly Longmark, right, at the Contra Costa Regional Medical Center in Materinez, Cells, or Tausday, Dec.15, 2020. Ferratine healthcave venture who which invokes this principle of exposure to infectious disease received their initial doses of the new COVID-19 vaccine recently approved for emergency use by the U.S. Food and Drug

California has administered 816,673 vaccine doses as of January 11th out of the 2,466,125 distributed, including 206,585 in the Bay Area region, primarily to health care workers, first responders and nursing home residents (Phase 1a). More doses of the Pfizer and Moderna mRNA vaccines are expected this coming week so expansion of vaccine access for people over 75 and other essential workers can begin (Phase 1b).

Britain approved the **AstraZeneca vaccine** (using a non-infectious adenovirus vector) on December 30, which is more affordable, more easily made and stored. The **Johnson and Johnson vaccine** (using an adenovirus 26 vector) efficacy results are expected in January. The **Novavax protein-based**

vaccine has shown promising preliminary results and started Phase 3 trials in the US on December 28. Results from the Novavax British trial are expected in early 2021.

County public health department vaccine updates:

- Alameda County COVID-19 vaccine plan, guidance, resources
- Contra Costa County COVID-19 vaccine updates and appointments for health care workers
- Solano County vaccine updates and access points

Contra Costa County has been administering vaccines for health care workers, first responders and nursing home residents (Phase 1a) since December 15 and is expected to start vaccinating people over 75 and other essential workers (Phase 1b).

Alameda County administered its first Phase 1a vaccines on December 18 and has received 85,350 doses as of January 11. There are an estimated 145,000 people in Phase 1a in Alameda County. Reports from health care worker and nursing home vaccinations thus far show few side effects and high acceptance rates. Vaccine acceptance rates among some health care worker and nursing home groups in Southern California have been as low as 50%, and the state is conducting a survey on vaccine acceptance and declinations, which it will release soon.

Alameda County vaccine clinic clarifications:

There's been some confusion with vaccine access in Alameda County, so we'd like to try to clarify:

- The vaccine sites at Castro Valley library and St. Rose Hospital are not supposed to take drop-in health care workers the week of January 11-15 due to limits in vaccine supply and staffing. Only health care workers with appointments and proof of employment/ID are supposed to be getting vaccines. There are not enough vaccines and staff to accommodate drop-ins at this point.
- If you provide direct services to clients or patients in your usual job, you count as a health care worker in Alameda County's Phase 1a definition. Housing navigators, peer navigators, support group facilitators, etc. count as health care workers because they provide direct support services for patients.
- If you sign up for notifications using this form as an Alameda County resident and health care worker, you will receive a notification and link to get a vaccine appointment when more become available. If there are currently open slots

(e.g., recent cancellations), you may immediately get notified of an available appointment.

- You may need/want to clarify with non-health care worker community members who might receive misleading text
 messages to sign up for vaccination appointments via CalVax that Alameda County and many other Bay Area counties
 only have enough vaccines for Phase 1a right now.
- Teachers for K-12 grade levels were left out of the notification form due to uncertainty over who will notify this group about vaccines (ACOE vs. ACPHD) and hopefully they will be added in soon since they are in Phase 1b (the next group).


If you live or are an employer in Alameda County, to receive notifications for when vaccine might be available for your organization or business:

- Alameda County residents
- Alameda County employers
- Health Care Providers (organizations/businesses)

Bay Area counties are following CA state guidelines on vaccine prioritization, which were revised on January 11th:

Vaccine Prioritization Framework updated 1/11/21

- Alameda County is following Federal and State recommendations, which change from time to time
- Timing through each phase depends on vaccine supply and demand
- Local health depts. have some discretion within phases





Who's in Phase 1a?

Tier 1 (vaccination started in mid-December):

- · Acute care, psychiatric and correctional facility hospital staff
- Staff and residents of skilled nursing facilities, assisted living facilities, and similar settings for older or medically vulnerable individuals
- · Paramedics, EMTs and others providing emergency medical services
- · Dialysis centers

Tier 2 (vaccination started late December):

- · Intermediate Care Facility staff & residents
- · Home Health Care/In-Home Supportive Services
- · Community Health Workers/Promotoras
- · Public Health Field Staff (including Testing Site Staff)
- Primary Care Clinics, including Federally Qualified Health Centers, Rural Health Centers, Correctional Facility Clinics & Urgent Care Clinics

Tier 3 (vaccination started):

- Specialty Clinics
- · Laboratory Workers
- Dental/Oral Health Clinics
- Pharmacy Staff (non-Hospital)

2



Who's in Phase 1b and 1c? updated 1/11/21

Phase 1b: Essential Workers, Older Adults & People at risk for severe illness

Tier 1:

- · Older adults, aged 75+
- Essential Workers in the following sectors:
 - · Education & Child Care (formal & informal)
 - · Emergency Services (incl Law Enforcement)
 - · Food/Agriculture

Tier 2:

- · Older adults, aged 65+
- · Essential Workers in the following sectors:
 - · Critical Manufacturing
 - Industrial, Residential & Commercial Sheltering Facilities & Services
 - · Transportation and Logistics
- Congregate Settings:
 - · Incarceration Settings
 - · People Experiencing Homelessness

Phase 1c: People with High-Risk Conditions & Essential Workers

- · Adults, aged 50+
- · Persons 16-49 with high-risk conditions:
 - Cancer · Chronic kidney disease · COPD (chronic obstructive pulmonary disease) / Heart conditions · Solid organ transplant · Overweight (BMI>40 kg/m2) · Pregnancy · Sickle cell disease · Smoking · Type 2 diabetes mellitus · Asthma (moderate to severe) · Cerebrovascular Disease · Cystic fibrosis · Hypertension/high blood pressure · Immunocompromised; blood/bone marrow transplant · Neurologic conditions e.g. dementia · Liver disease · Pulmonary Fibrosis · Thalassemias · Type 1 diabetes mellitus
- Water & Waste Management
- Defense
- Energy
- Communication & IT
- Financial Services
- · Chemicals/Hazardous Materials
- · Government Ops/Community Services



Λ

PEOPLE LIVING WITH HIV AND COVID-19 VACCINES

Currently all people living with HIV (PLWH) are recommended to get the COVID-19 vaccine once eligible so long as they don't have severe allergic reactions to components of the vaccines. For PLWH not otherwise eligible in Phase 1, all PLWH will be eligible in Phase 2. We don't know yet when there will be enough vaccines for Phase 2 but it will hopefully be in the early spring.

The Moderna vaccine trial included 179 PLWH but data on this specific group has not been reported separately yet. There is currently no recommendation to check antibody levels for people living with HIV after completing vaccination. We don't know yet if commercially available SARS-CoV2 antibody tests such as at Quest and LabCorp check for the antibody generated by the vaccines, but providers and patients may consider checking for antibody response while we await more data.

The California COVID-19 vaccine strategy prioritizes safety and

equity, with a scientific safety review work group, a guidelines work group and a Community Vaccine Advisory Committee co-chaired by CA Surgeon General Dr. Nadine Burke Harris focused on addressing barriers to equitable vaccine implementation and decision-making.

"African-Americans have suffered quite the repercussions of COVID-19," said Dr. Sylvia Owusu-Ansah, 42, an emergency physician at the UPMC Children's Hospital of Pittsburgh, who is Black and was among the first people to be vaccinated, as reported in the New York Times. "I wanted to share with my community that it is OK, that this vaccine is the thing to do to keep us safe, to keep us healthy and to keep us alive."



Dr. Sylvia Owusu-Ansah received the Pfizer vaccine on Monday. Kristian Thacker for The New York

Vaccine questions and feedback:

- In Alameda County, email covax@acgov.org
- To provide feedback on the CA state vaccine prioritization plan (click here for community advisory committee meeting notes), email COVID19vaccineoutreach@cdph.ca.gov



Help educate our community and get ready for vaccines! Here are some resources:

COVID vaccine info for recipients and caregivers

- SFDPH COVID vaccine FAQs for community members
- CDC v-safe app info for vaccine recipients to report side effects and get reminders for their second dose
- COVID vaccine info for health care providers giving the vaccine
- CA COVID vaccine media toolkit in multiple languages
- CA and county vaccine education materials and media
- COVIDReadi registration for potential vaccination sites
- For providers: reporting an adverse vaccine event to VAERS (the national Vaccine Adverse Event Reporting System)
- The latest vaccine recommendations from the CDC ACIP (Advisory Committee on Immunization Practices)

Here are **COVID-19 vaccine references** we use to get the latest updates:

- UCSF vaccine overview: what we currently know and don't know.
- California State COVID-19 vaccine tracker (distribution and administration)
- SF Chronicle and New York Times Coronavirus Vaccine Trackers
- WHO COVID-19 vaccine database: updated technical data & study links.
- KFF COVID-19 Vaccine Monitor: public attitudes and experience.
- County vaccine updates: Alameda County, Contra Costa County, Solano County

BAY AREA SHELTER-IN-PLACE ORDER AND ICU STATUS

The Bay Area has implemented the State's Regional Stay Home Order:

- The main message is to stay home as much as you can.
- Click here for FAOs on the restrictions.

On January 12, the Bay Area region had 4.7% ICU capacity (down from 7.4% last week) and must continue to follow the State's Stay Home Order. Alameda, Contra Costa and Solano Counties remain in the highest purple tier (for "widespread" risk) in the statewide Blueprint to Safer Reopening.

The New York Times has an ICU capacity dashboard using hospital capacity data released by the Department of Health and Human Services showing the ICU status at specific hospitals searchable by zip code.

CASE, HOSPITALIZATION AND TRANSMISSION TRENDS





Some indoor business operations are open with modifications	Daily new cases (per 100k)	equity metric Positive tests
MINIMAL Most indoor business operations are open with modifications	Less than 1 Daily new cases (per 100k)	Less than 2% and Less than 2.2% health equity metric Positive tests

Current estimated transmission rates (Re)

are 0.98 in Alameda County, 1.05 in Contra Costa and 0.99 in Solano County, compared to 1.0 statewide. Our goal is to support the vaccine roll-out and community measures around masking, staying outdoors and avoiding gatherings to keep transmission rates less than 1.

The LEMMA hospitalization prediction for Alameda County using data through January 11 is that if Alameda County's transmission rate stays the same (below 1; LEMMA's current estimated Rt is 0.91), the median projection is for hospital and ICU rates to start trending downward January to February from our current highs.

ALAMEDA COUNTY AS OF JANUARY 13:

- Purple "widespread" tier week 9.
- 46.6 new cases of COVID-19 per day per 100,000 residents (up from 35.5 last week for the unadjusted new case rate).
- 9.7% test positivity rate countywide (up from 7.6% last week).
- 13.3% test positivity in the lowest quartile Healthy Places Index (HPI) census tract (up from 11.3%).
- 59,840 cumulative cases and 763 deaths.
- 430 hospitalized patients (down from 442 last week; highest was 454 on 12/30), including 107 ICU patients (down from 109; highest was 124 on 12/23).
- 61 ICU beds were available for COVID-19 patients (down from 71).
- 0.98 transmission rate on the Cal-CAT model (down from 1.0).

CONTRA COSTA COUNTY AS OF JANUARY 13:

- Purple "widespread" tier week 9.
- 48.6 new cases of COVID-19 per day per 100,000 residents (up from 37.1).
- 10.7% positivity rate (up from 8.7%).
- 15.8% test positivity in the lowest quartile HPI tract (up from 13.5%).
- 1.05 transmission rate (up from 1.03).

SOLANO COUNTY AS OF JANUARY 13:


- Purple "widespread" tier week 9.
- 64.3 new cases of COVID-19 per day per 100,000 residents (up from 44.8).
- 14.1% positivity rate (up from 11.5%).
- 14.9% test positivity in the lowest quartile HPI tract (up from 12.5%).
- 0.99 transmission rate (down from 1.12).

New reported cases and deaths in the Bay Area, by day










SF Chronicle, 1/13/20: COVID-19 daily cases and deaths in the Bay Area.



CDPH CA State COVID-19 dashboard 1/13/20: Latinx and Black/African American Californians continue to be disproportionately impacted by COVID-19.

OTHER NEW HIV AND COVID-19 REPORTS AND STUDIES

An SF study examining whether HIV is associated with a higher incidence of COVID-19 showed that while people living with HIV (PLWH) tested in SF were more likely to be diagnosed with COVID-19 (4.5% positivity rate among PLWH compared to 3.5% among people without HIV), the rate of severe illness was not increased among PLWH. Only 54.6% of the PLWH with COVID-19 were housed. The authors conclude that "homelessness and higher rates of congregate living situations among PLWH likely accounted for this disparity. Special efforts to house patients with marginal housing during the COVID-19 pandemic are needed."

Pulse Oximetry Bias

Pulse Oximeter Devices Have Higher Error Rate in Black Patients

A study showed that the devices, which measure oxygen levels in the blood, were three times more likely to give misleading readings among African-American patients.



Racial bias in pulse oximetry measurement may place Black patients at increased risk for undetected low oxygen levels: A

study done at the University of Michigan Hospital and data from ICUs at 178 hospitals comparing pulse ox measurements to arterial blood gas measurements showed that in two large cohorts, Black patients had nearly 3 times the frequency of occult hypoxemia of <88% by arterial blood gas (undetected low oxygen levels) as White patients with pulse ox readings of 92–96%. These findings suggest that reliance on pulse ox may place Black patients at increased risk for low oxygen levels. Clinicians are urged to use additional clinical and patient-reported data to guide the use of supplemental oxygen and other treatment decisions.



NYTimes, December 22, 2020

A new study from UCSF on the impact of the early California lockdown showed that while mortality rates from COVID-19 dropped overall, but Latinx people and those without high school degrees did not have a mortality benefit. Latinx people

and those without high school degrees are disproportionately represented among low-wage workers who continued working in grocery stores, delivery services and other essential jobs. Workers in these jobs are also more likely to live in crowded conditions that make it harder to prevent spread.

The same UCSF team have a pre-print study with updated and more detailed analysis of the **pandemic impact on the California Latinx community**. They found that, "During the first seven months of the pandemic, Latino deaths in California exceeded expected deaths by 10,304, a 31% increase. Excess death rates were greatest for individuals born in Mexico (RR 1.44) or Central America (RR 1.49), with less than a high school degree (RR 1.41), or in manufacturing (RR 1.62) or food-and-agriculture occupations (RR 1.50)." These studies highlight a need to address safer workplace conditions, income security, housing and earlier vaccine access in these communities.

The new B117 variant strain of SARS-CoV-2 that contains a series of mutations first described in the United Kingdom (UK) has been found to be more rapidly transmissible but there is no evidence thus far that it causes more severe illness or is more deadly. Conventional SARS-CoV-2 PCR tests used for diagnosis detect multiple areas of the virus and have been confirmed to detect this variant.


The first US case with this variant was in Colorado on December 29 in a National Guardsman working in a nursing home with no travel history. Governor Gavin Newsom announced the first California case in Southern California on December 30. A total of 32 Californians has been identified with the B117 strain as of January 6, but testing samples for this variant has been limited and not systematic. The UCSF, UC Berkeley and state public health lab in Richmond are conducting tests to identify variant strains.

South African scientists have found another new variant ("501.V2") which preliminary analysis suggests also spreads faster and is associated with a higher load of virus found in swabs.

Viral mutations like these are a natural and expected occurrence, especially in viruses that transmit and replicate rapidly like SARS-CoV-2. Mutations that allow for faster spreading like in these variants get selected and tend to dominate. Our prevention strategies around masking, distancing and avoiding gatherings are more important than ever.


Scientists also look for mutations that impact disease severity, vaccine and treatment efficacy. The Pfizer and Moderna vaccines and other vaccine candidates are polyclonal (produce antibodies that target several parts of the spike protein) and are expected to be active against the new SARS-CoV-2 variants emerging thus far. Pfizer and Moderna have announced that they are studying vaccine efficacy against these variants.

A new KFF COVID-19 vaccine survey finds that more people surveyed are saying they would definitely or probably get a vaccine for COVID-19 if it was determined to be safe by scientists and available for free to everyone who wanted it. This share now stands at 71%, up from 63% in a September survey. The survey finds an increase in the share who say they would get vaccinated across racial and ethnic groups, and among both Democrats and Republicans.




Republicans and Black Americans More Likely to Be Hesitant About Getting COVID-19 Vaccine

Percent of the public who fall in each group by COVID-19 vaccine enthusiasm:






About a quarter (27%) of the public remains vaccine hesitant, saying they probably or definitely would not get a COVID-19 vaccine even if it were available for free and deemed safe by scientists. Vaccine hesitancy is highest among Republicans (42%), those ages 30-49 (36%), rural residents (35%) and Black adults (35%). 52% of Black adults surveyed reported that they wanted to wait and see how the vaccines are working for other people before getting it themselves, so as more safety and efficacy data emerge for diverse vaccine recipients, there may be more willingness to get vaccines. Importantly, 85% of people still



report having trust in their own health care providers. Mask acceptance is also up at 73% (21 points higher than in May).

Young adults ages 25-44 have died at historically high rates this year: From March through the end of July, there were almost 12,000 more deaths than were expected based on historical norms. Based on prior trends, around 154,000 in this demographic had been projected to die in 2020. We surpassed that total in mid-November. Even if death rates suddenly returned to normal in December (which they have not) we would anticipate well over 170,000 deaths among U.S. adults in this demographic by the end of 2020.




A new CDC study shows that among children and

adolescents aged <18 years in Mississippi, close contact with persons with COVID-19 and gatherings with persons outside the household and lack of consistent mask use in school were associated with SARS-CoV-2 infection, whereas attending school or child care was not associated with receiving positive SARS-CoV-2 test results.

On December 30th Governor Newsom announced a \$2 billion plan to reopen schools and support early childhood education.

Small indoor gatherings are driving transmission: Health officer Dr. Matt Willis reported that the main driver of transmission in Marin County is not large parties but more "around the edges of that," such as playdates and relocating small outdoor visits of mixed households indoors. Public health experts have been concerned about the impact of small indoor holiday gatherings in California, and as well as larger indoor gatherings, even with mask requirements, have been super-spreader events.




EPA showed that **consumer masks protect the wearer** from

airborne particles that might carry SARS-CoV-2, especially snug and multilayered masks. A snug 2-layer woven nylon mask had 79% fitted filtration efficiency (FFE). An unmodified medical/hospital mask with ear loops only had 38.5% FFE, but with loops tied and corners tucked had 60% FFE. Click here for a video demonstrating how to tie the ear loops on disposable medical-procedure-type masks to increase protection.

Applying harm reduction principles from HIV and the overdose epidemics to COVID-19: Drs. Monica Gandhi and Joshua Barocas published an opinion article "Harm reduction principles can help us restore trust in public health messaging on COVID-19" in the British Medical Journal (BMJ). They write, "Public health and scientific messengers must evolve non-judgmental, holistic, and patient focused styles of messaging around risk reduction and disease prevention. Returning to our discipline's basic principles and centering our approach around reducing harm may help restore trust in public health."

HARM REDUCTION RESOURCES



References: Bay Area public health guidance on gatherings; summary of evidence and scientific studies

COVID-19 harm reduction strategies: Use as many of these as you can!

,	Strategy	% reduction	
	1. Vaccination	95% mRNA EUA vaccines	
	2. Masking	60-95%	
	3. Staying outdoors	~95% in one case series	
₽↔₽	4. Distancing	53-88%	
	5. Eye protection	78%	
	6. Hand hygiene	28-45%	
	7. Testing/isolation	33%	
Updated 12.23.20 * Data compiled by Sophy S. Wong, MD lcons by Good Ware, Freepik and Srip on Flaticon.com			

Our **summary of COVID prevention research** is constantly updated with new studies.

Our COVID-19 prevention and harm reduction infographic is available in English and Spanish!

Please download them here in English and here in Spanish and share with your clients, coworkers, friends and family! To download printable PDF versions, click here for the PDF in English and click here for the PDF in

Spanish.

Free COVID testing sites: Click here for Alameda County, Contra Costa County and Solano County testing sites.

To slow the COVID-19 surge, we all need to stay home as much as we can and when we go out:

- Wear masks and glasses,
- Stay outdoors whenever possible,
- Avoid crowds and maintain at least six feet distance from others,
- Sanitize or wash hands frequently, and
- Stay home when sick.

OTHER UPDATES AND OPPORTUNITIES:

Funding Opportunities:

• The CA Small Business COVID-19 Relief Grant Program provides micro grants ranging from \$5,000 to \$25,000 to

eligible small businesses and nonprofits impacted by COVID-19 and the related health and safety restrictions. The application period is open until 1/13/21. Information about the grant program is available here.

Web events:

- COVID-19 Vaccination: It Matters in Saving Black Lives Virtual Town Hall on January 16, 9-12:30 pm PST. Minority Health Institute and UCLA BRITE Center for Science, Research and Policy invite you to attend a virtual town hall with some of the nations' premier COVID-19 experts and historically Black institution and organization leaders to address facts, fears and myths pertaining to COVID-19 vaccination as we fight to protect and save Black lives. Register here.
- PAETC Bay Area is offering a Virtual Transgender Health Preceptorship for clinicians interested in enhancing their skills in providing care to the trans community. The group will meet weekly beginning January 2021 (for 9 sessions).
 Interested clinicians can register here.
- PAETC COVID-19 Vaccine Update: Efficacy, Safety, and Availability for People with HIV (and their providers), on January 14 at 12 noon, presented by Christian Ramers, MD, MPH, AAHIVS, Director of Graduate Medical Education, Family Health Centers of San Diego. To register, please CLICK HERE.
- PAETC and UCSF's School of Nursing, is hosting a session titled 'Common Opportunistic Infections in HIV' geared
 toward the whole care team: nursing/pharmacology students, community nurses whoever would like to learn more
 about common opportunistic infections in HIV. The session will take place on January 26th, 2021. Please register
 here.

Job opportunities:

- Lifelong Medical Care is recruiting for a provider (MD/DO, NP or PA) and RN to provide STI and HIV testing and sexual health counseling at the newly established Oakland LGBTQ Center Glenn Burke Wellness Clinic. The ideal candidates will have a passion for working with LGBTQ+ communities, particularly Black, Latino, and Indigenous LGBTQ+ communities. Both positions are part-time (0.3 FTE) with the potential to increase hours through other job assignments at Lifelong Medical Care and both involve some evening hours. Interested candidates can forward their cover letter and resume to klynch@lifelongmedical.org and tdinh@lifelongmedical.org
- La Clinica is looking to fill the following positions:
 - HIV Linkage Coordinator
 - Street Outreach Worker/PrEP Navigator
 - Street Outreach Worker/ HIV Linkage
 - Street Outreach Worker

Research opportunities:

• A UCSF study team is recruiting participants for the **Golden Compass study to help develop aging screenings for HIV care**. Participation entails a one-time 30 minutes – 1 hour long interview and will be compensated with a \$25 gift card. Potential participants may also contact us directly through telephone: (415) 652-0549 or email: GoldenCompass@UCSF.edu.

Community resources:

 Oakland LGBTQ Center is helping community members access emergency rent and housing assistance. If you or someone you know, is living in Oakland or Alameda County and in need of emergency rental assistance, you can access more information here.

HIV services during COVID-19: Click here for Contra Costa HIV services and see our online directory for Alameda County HIV services.

If your organization is in Alameda County and needs COVID-related supplies or staffing, please go to the Emergency Medical Services website to request PPE and testing supplies and request staffing.



Please follow and share our Instagram, Facebook and Twitter accounts.

A note about this webpage: COVID data updates will be posted to this page on Wednesdays in the late afternoon during non-holiday weeks. New studies will be continuously added to our summary of COVID-19 harm reduction strategies. The emailed HIV+COVID-19 update newsletters are now on a bi-weekly schedule of 1st and 3rd Wednesdays.



Official Alameda County COVID-19 weekly updates are accessible on the county website and will not longer be posted on this page. You can sign up to receive the Alameda County weekly COVID-19 newsletter by emailing Jamie.Yee@acgov.org.

CLICK HERE FOR ALAMEDA COUNTY WEEKLY NEWSLETTERS

OPPORTUNITIES TO HELP:

- California Health Corps Use this link to register for the California Health Corps which is a State program for trained medical and healthcare workers to sign up and provide availability to assist in the COVID-19 response.
- Medical Surge Volunteer Sign Up Use this link to register as a volunteer with the County of Alameda to assist with the COVID-19 response. Medically and non-medically trained volunteers will be needed. Click here for more information.

TOP LINKS:

- **HIV:** FAQs for people living with HIV (PLWH) and Preguntas Frecuentes in Spanish, Guidance for PLWH (CDC), Guidance for HIV providers
- HIV services during COVID-19: Click here for Contra Costa HIV services and see our online directory for Alameda County HIV services.
- **Key Communities:** Harm Reduction Coalition, Immigrants Rising, Protecting Immigrant Families: Public Charge, Healthcare for the Homeless
- COVID Vaccines: California State updates, CA vaccine tracker, Alameda County updates
- COVID exposure alerts: CA Notify app
- **COVID Testing, Food, Shelters:** Alameda County COVID testing and services, what to do if you test positive or have contact with someone with COVID, and isolation housing, Contra Costa County COVID testing
- **COVID PPE, staffing or testing supplies:** Alameda County EMS- request PPE, request staffing or request testing supplies.
- Public Health Department Updates: Alameda County, Contra Costa County, Solano County, California State
- **COVID Data:** Alameda County, Contra Costa County, Solano County, California State, California (SF Chronicle), National/Global (JHU), By Race
- **DIY Face Coverings and Masks:** CDC (easy no-sew), Kaiser (sewn), Maker Mask (sewn, science-based), Olson Mask (sewn)

ALAMEDA COUNTY GUIDANCE:

Click here for all current approved businesses and activities.

Download links for **Alameda County community or business** guidance on: Face coverings, social bubbles, childcare and camps for all children, graduations, vehicular gatherings, construction, curbside retail pickups, manufacturing and warehousing, personal services, youth extracurricular and general outdoor recreation activities.

Download links for **Alameda County clinical guidance** on: COVID-19 testing, antigen testing, isolation orders in 7 languages for all people getting tested, reporting COVID-19 cases, Project Roomkey isolation housing, home health agencies, remdesivir allocations, routine vaccines, reporting pediatric Multisystem Inflammatory Syndrome, resumption of non-

urgent medical services, testing in Skilled Nursing Facilities and COVID-19 vaccinations.

If your organization is in Alameda County and needs COVID-related supplies or staffing, please go to the Emergency Medical Services website to request testing supplies, antigen test kits and/or PPE, and request staffing.

LOOKING FOR COVID-19 TESTING?

- Alameda County COVID testing sites: This webpage includes community-based sites offering free testing for anyone with symptoms, including people without health insurance.
- Contra Costa County free drive-through or walk-in COVID testing
- Solano County free testing sites
- Please check the listing for updates and call the testing site before you leave your home/shelter/camp/car to make sure they are open for testing, you are eligible, and register if needed.
- If you don't have a provider and have COVID symptoms: In Alameda County, call Alameda Health System 510-437-8500 for a phone screen and guidance. In Contra Costa County, call 844-729-8410. In Solano County, the county COVID warmline is 707-784-8988.
- If you're having difficulty breathing and unstable, please go to your nearest emergency room.

 \leftarrow BACK TO UPDATES

